

General Laboratory & Glassware

Aspirator Bottle - Glass



Item code: Ga1

- Glass with tap
- Ground-in interchangeable stopper
- With stopcock
- 2000ml/5000ml/10000ml/20000ml
- Also available tubulated outlet

Aspirator Bottle - Polythene

Item code: Ga2

- Polythene
- Heavy duty
- Polythene screw cap
- Wide bore tap
- Capacity: 22l or 25l



Aspirator Stopcock

Item code: Ga3

- For use with aspirator bottle
- Bore: 4mm
- Cone size: 29/32
- Overall length: 95mm

Battery Charger

Item code: Gb1

- Internal thermal overload switch
- Double insulation
- 6 and 12V



General Laboratory & Glassware

Battery - Penlight



Item code: Gb2

- Cylindrical type AA
- Leak proof
- Central positive cap
- 1.5V
- $\pm 14 \times 50\text{mm}$

Battery - Sealed Lead-Acid (Import Only)

Item code: Gb3

- Maintenance free
- Low rate of self-discharge
- Not affected by long unused periods
- Can be stored, discharged and charged in any position
- 6V



Battery - Torch



Item code: Gb4

- Cylindrical, type D
- Leak proof
- Central positive cap
- Negative base
- 1.5V
- $50 \times 25.2\text{mm}$

Beads

Item code: Gb5

- Glass shot hardened
- 4mm/5mm/6mm/7mm



General Laboratory & Glassware

Beaker - Low Form



Item code: Gb6

- Borosilicate glass
- Graduated
- With spout
- 50ml/100ml/250ml/400ml/600ml/
1000ml/2000ml/3000ml
- Also available in conical shape / Philips non graduated

Beaker - Low Form: Polypropylene

Item code: Gb7

- Polypropylene
- Graduated
- With spout
- 50ml/100ml/250ml/500ml/1000ml/2000ml



Beaker - Tall Form

Item code: Gb8

- Borosilicate glass
- Graduated
- With spout
- 50ml/100ml/250ml/400ml/
600ml/1000ml/2000ml/3000ml

Beehive Shelf

Item code: Gb9

- Stoneware
- Glazed inside and outside
- Use with troughs for gas collection
- Outer: 75mm or 100mm



General Laboratory & Glassware

Boat - Combustion



Item code: Gb10

- Porcelain
- With handle
- Glazed except for base
- Dimensions: 77 x 17 x 9/11mm

Bosshead - Iron

Item code: Gb11

- Made of iron
- Used both vertically and horizontally
- Suitable for rods up to 16mm
- Coated black



Bosshead - Natural Alloy

Item code: Gb12

- Die cast in natural alloy
- Nickel plated brass tommy screws



Bottle - Dropping: TK Patterned

Item code: Gb13

- TK patterned
- Clear glass
- With grooved stopper
- 50ml



General Laboratory & Glassware

Bottle - Dropping



Item code: Gb14

- With vinyl teat
- Glass dropper
- 30ml and 50ml

Bottle - Polythene

Item code: Gb15

- Narrow neck
- Translucent
- Flexible
- Polyethylene screw caps
- 100ml/250ml/500ml/1000ml



Bottle - Reagent: Wide Neck

Item code: Gb16

- Wide mouth
- Clear glass
- Ground-in flat stopper
- Standard shape
- 100ml/250ml/500ml/1000ml

Bottle - Reagent: Narrow Neck

Item code: Gb17

- Narrow neck
- Clear glass
- Ground-in flat stopper
- Standard shape
- 100ml/125ml/250ml/500ml/1000ml



General Laboratory & Glassware

Bottle - Reagent (Labelled): Clear Glass



Item code: Gb18

- Available in 250ml bottles
- Clear glass
- Polystop or glass stoppers
- Varieties: ammonium hydroxide, barium chloride, hydrochloric acid concentrated, hydrochloric acid diluted, lime water, nitric acid concentrated, nitric acid diluted, sulphuric acid concentrated, sulphuric acid diluted

Bottle - Reagent (Labelled): Amber Glass

Item code: Gb19

- Available in 250ml
- Amber glass
- Polystop stoppers and glass stoppers
- Variety: Silver nitrate



Bottle - Wash

Item code: Gb20

- Swan neck
- Round
- 250ml/500ml/1000ml

Brush - Bottle

Item code: Gb21

- Hard bristle
- Galvanised iron wire stem
- Overall length: 395mm
- Head size: 140 x 70mm



General Laboratory & Glassware

Brush - Burette




Item code: Gb22

- Hard bristle
- Galvanized iron wire stem
- Overall length: 600mm
- Head size: 16mm

Brush - Cylinder

Item code: Gb23

- Nylon
- Galvanized iron
- Wire stem
- Overall length: 75 x 675mm



Brush - Flask

Item code: Gb24

- Bristle head
- Galvanized iron
- Wire stem
- Wooden handle
- Overall length: 360mm
- Head size: 130 x 50mm

Brush - Test Tube

Item code: Gb25

- Yellow bristles
- Fan shaped end
- Galvanized wire handle
- Sizes: 10 - 12mm, 12 - 16mm, 16 - 25mm



General Laboratory & Glassware

Bunsen Burner



Item code: Gb26

- Portable
- Self-contained high temperature source fuelled by a disposable butane cartridge
- Clean odourless flame
- Mounted on steel cartridge holder
- Fitted with cartridge retaining clips
- Cartridges available

Bunsen Burner - Heavy Gauge Brass

Item code: Gb27

- Heavy gauge brass
- Tube 11mm diameter with air regulator
- Brass inlet tube 10mm diameter
- Replaceable brass jet
- Steel base
- LP gas



Burette Clamp

Item code: Gb28

- High strength casting
- With plastic jaws
- Spring is positive, allows easy operation without damaging glassware
- Suitable for burettes up to 100ml capacity

Burette - Glass: Ptfе Stopcock

Item code: Gb29

- Amber/blue graduations
- Ptfе stopcock
- Moulded screw thread for tension adjustment
- 25ml (0.1ml graduations)
- 50ml (0.1ml graduations)



General Laboratory & Glassware

Burette - Glass: Pinch Cock and Jet



Item code: Gb30

- Amber/blue graduations
- With pinch cock and jet
- 25ml (0.1ml graduations)
- 50ml (0.1ml graduations)

Burette - Plastic

Item code: Gb31

- Simple pinch valve
- Mounting bracket
- 25ml



Burner - Spirit

Item code: Gb32

- Glass spirit lamp
- Fitted wick
- Porcelain wick holder
- 100ml/150ml

Cabinet - Display

Item code: Gc1

- Wooden cabinet
- 430 x 235 x 150mm deep
- Clear perspex sliding lid
- Polystyrene base to mount specimen



General Laboratory & Glassware

Caliper - Bow




Item code: Gc2

- Used to measure inside and outside diameters
- Plastic

Caliper - Vernier

Item code: Gc3

- Direct reading
- Stainless steel
- Dual scale
- 0 - 150mm x 0.1mm
- With case
- Also available in 200mm



Cell Holder (Battery Holder)

Item code: Gc4

- Strong plastic
- Tension screw one end
- Terminal on other end
- Takes 1 to 4 torch cells
- With cell divider and pin

Centrifuge

Item code: Gc5

- Hand operated
- Table mounted
- Single speed
- Fitted with 4 buckets
- To take 4 x 15ml conical glass tubes
- Also available with 2 buckets



General Laboratory & Glassware

Centrifuge Tube



Item code: Gc6

- Soda glass
- Conical bottom with rim
- Graduated to 10ml in 0.1ml divisions

Clamp - Retort: 3 Prong

Item code: Gc7

- Suitable for articles from 1mm to 75mm
- Diecast aluminium
- Nickel plated brass tommy screw
- Rubber covered jaws



Clamp - Retort: Universal

Item code: Gc8

- Suitable for articles from 1mm to 75mm
- Diecast painted blue
- Brass tommy screws
- Cork lined jaws

Clip

Item code: Gc9

- Crocodile
- Black or red



General Laboratory & Glassware

Clip - Crocodile (with Leads)



Item code: Gc10

- Red or black
- Insulated crocodile clips on each end
- 300mm/1000mm long
- Also available banana plug on other end

Clip - Hoffman

Item code: Gc11

- Clamping screw
- Nickel plated brass
- 20mm width between bars
- 20mm



Clip - Mohr

Item code: Gc12

- Nickel plated brass
- Flexible tubing
- Up to 12mm tubing
- 50mm long

Condenser - Liebig

Item code: Gc13

- Suitable for both distillation and reflux
- Turbulent flow within the water jacket ensures efficient cooling
- 200mm/400mm



General Laboratory & Glassware

Connector



Item code: Gc14

- Glass
- Horizontal limb: 75mm
- Vertical limb: 35mm
- 7mm external diameter
- T and Y available

Cork Borer

Item code: Gc15

- Brass
- Nickel plated
- Supplied complete with push rod
- Set of 6 or 12



Cork Borer Sharpener

Item code: Gc16

- Diecast in alloy
- Handle of finished grey stoved enamel
- Hardened steel blade



Cork Sheet

Item code: Gc17

- Best quality
- Rectangular
- 6mm thick
- 300 x 150mm



General Laboratory & Glassware

Cotton Wool



Item code: Gc18

- Non absorbent
- Roll of 500gm

Coverslip for Microscope

Item code: Gc19

- Made of sheet glass
- Best quality
- Thickness: 0.13 - 0.17mm
- Square: 18 x 18mm or 22 x 22mm
- Circular Diameter: 16mm



Crucible

Item code: Gc20

- Porcelain
- Tall/squat form
- Glazed inside and outside
- Unglazed base
- Lids with ringed handles
- 25ml or 50ml

Cutter - Glass

Item code: Gc21

- Roller type
- For glass tubing
- Zinc alloy, nickel plated
- Tubing up to 30mm ϕ



General Laboratory & Glassware

Cylinder - Measuring



Item code: Gc22

- Graduated
- Spouted
- Glass
- B grade
- 5ml/10ml/25ml/50ml/100ml/
250ml/500ml/1000ml

Cylinder - Measuring Vessel

Item code: Gc23

- Perspex
- Designed to show cubic volumes of liquid
- Rectangular
- 400ml



Deflagrating Spoon

Item code: Gd1

- Complete with brass flange and cork stopper

Deionised Water Apparatus

Item code: Gd2

- Mini-demineralizer
- One-way disposable resins



General Laboratory & Glassware

Desiccator - Lid with Plastic Knob



Item code: Gd3

- Soda glass
- Lid with plastic knob
- With discs
- 150mm \varnothing /200mm \varnothing /300mm \varnothing

Desiccator - Lid with Stopcock

Item code: Gd4

- Soda glass
- Lid with stopcock (vacuum)
- With discs
- 150mm \varnothing /200mm \varnothing /300mm \varnothing



Dish - Petri: Glass

Item code: Gd5

- Glass
- Anumbra
- 60 x 12mm/100 x 15mm/
120 x 20mm/150 x 25mm

Dish - Petri: Plastic

Item code: Gd6

- Plastic
- Disposable
- 90 x 15mm - box of 500
- 60 x 15mm - box of 750



General Laboratory & Glassware

Dropper



Item code: Gd7

- Straight glass tube
- Latex teat
- Length: 90mm
- Outer diameter: 7 - 8mm

Electrode Plate

Item code: Ge1

- Copper - 150 x 45 x 5mm
- Carbon - 100 x 40 x 5mm
- Lead - 150 x 45 x 1mm
- Zinc - 150 x 45 x 1mm
- Each type mounted on a PVC strip with connecting terminal



Electrode Rod

Item code: Ge2

- Copper - 140 x 6mm
- Carbon - 140 x 6mm
- Iron - 140 x 6mm
- Zinc - 140 x 6mm
- Solid rod with terminal

Evaporating Basin - Glass

Item code: Ge3

- Borosilicate glass
- Flat bottom
- Curved sides
- With spout
- 90ml, 80mm ϕ x 45mm



General Laboratory & Glassware

Evaporating Basin - Porcelain



Item code: Ge4

- Porcelain
- Glazed inside and outside
- Outside bottom glazed
- With spout
- 100ml x 90mm ø x 35mm
- 125ml x 98mm ø x 38mm
- 250ml x 120mm ø x 49mm

Flask - Boiling: Flat Bottom

Item code: Gf1

- Flat bottom
- Borosilicate glass
- Narrow neck
- 50ml/100ml/250ml/500ml



Flask - Boiling: Round Bottom

Item code: Gf2

- Round bottom
- Borosilicate glass
- Narrow neck
- 100ml, 64mm ø neck size
- 250ml, 85mm ø neck size
- 500ml, 22mm ø neck size

Flask - Dewar

Item code: Gf3

- Vacuum flask
- Cylindrical
- In plastic container
- Screw stopper
- Moulded cup
- 1000ml



General Laboratory & Glassware

Flask - Distillation



Item code: Gf4

- Side arm at an angle of 75° to vertical axis
- 75mm from top of neck to the sidearm
- 250ml or 500ml

Flask - Erlenmeyer

Item code: Gf5

- Conical
- Borosilicate glass
- Narrow neck
- Graduated
- 25ml/50ml/100ml/
250ml/500ml/1000ml



Flask - Volumetric

Item code: Gf6

- B grade
- One mark
- Interchangeable pvc stopper
- 50ml/100ml/250ml/500ml/1000ml

Funnel - Dropping

Item code: Gf7

- Glass
- Cylindrical
- Open top
- 50ml or 100ml



General Laboratory & Glassware

Funnel - Filter: Glass



Item code: Gf8

- Moulded glass
- Plain pattern
- Angle 60° short stem
- 50-55mm/75mm/100mm/150mm

Funnel - Filter: PVC

Item code: Gf9

- Ribbed
- Short stem
- 80mm/100mm/120mm



Funnel - Fluted

Item code: Gf10

- Glass
- Ribbed pattern
- Angle 60° short stem
- 75mm

Funnel - Separating

Item code: Gf11

- Glass
- Conical/pear shape
- Interchangeable stopper
- 100ml/250ml/500ml



General Laboratory & Glassware

Funnel - Thistle: Glass



Item code: Gf12

- Soda glass
- 300mm

Funnel - Thistle: Plastic

Item code: Gf13

- Plastic
- Use with dilute acids
- Not suitable for hydrocarbon solvents
- 300mm



G-Clamp

Item code: Gg1

- Cast iron
- 50mm/75mm/
100mm/150mm

Gas Syringe


Item code: Gg2

- All glass
- Gas tight
- 100ml



General Laboratory & Glassware

Gauze - Flat Form




Item code: Gg3

- Stout iron wire
- Ceramic centre
- 160 x 160mm

Gauze - Plain

Item code: Gg4

- Stout iron wire
- 100 x 100mm or 160 x 160mm



Glove - Latex

Item code: Gg5

- Examination type
- Packet of 100
- Small, medium or large

Goggle

Item code: Gg6

- A) Goggle type
- Ventilated
 - Translucent
 - Soft pvc moulding
 - Elastic headband
 - Fits all face sizes
- B) Spectacle type
- Polycarbonate clear safety lens
 - Side protection



General Laboratory & Glassware

Holder - Test Tube: Wooden



Item code: Gh1

- Wooden peg type
- With spring steel for closing jaws
- Accepts tubes 11 - 19mm

Holder - Test Tube: Brass

Item code: Gh2

- Brass cross action
- Wooden handle



Hotplate

Item code: Gh3

- Enamelled metal case
- Mains cable 220V AC
- With switch
- Consumption: 1500w in 6 steps
- Plate: 145mm ϕ
- Mass: 2.2kg
- Solid or spiral plate
- Dimensions: 22 x 22 x 8cm

Indicator Paper

Item code: Gi1

- One strip required to determine pH value
 - 0 - 11 range
- A) Packet of 100 leaves (economy grade)
- B) Packet of 200 leaves complete with chart
- pH 0 - 14
- C) Litmus paper Red
- Range: pH 5 - 8
 - Colour changes red to blue
 - Packet of 100 and 200
- D) Litmus paper Blue
- Range: pH 8 - 5
 - Colour changes blue to red
 - Packet of 100 and 200



- E) Cobalt test paper
- Packet of 200

General Laboratory & Glassware

Jar - Bell



Item code: Gj1

- Stoppered or knob
- With ground flange
- Sizes: 150mm ϕ x 250mm or 200mm ϕ x 300mm

Jar - Gas

Item code: Gj2

- Footed
- Ground flange
- With cover plate
- Sizes: 50mm ϕ x 150mm or 50mm ϕ x 200mm



Jar - Gas Cover

Item code: Gj3

- Cover for gas jar

Jar - Specimen: Museum

Item code: Gj4

- A) Rectangular type
- With lid
 - 50 x 100 x 100mm
 - 50 x 100 x 200mm
- B) Round type
- 60 x 150mm
 - 75/80 x 150mm
 - 80/90 x 200mm



General Laboratory & Glassware

Kipps Apparatus



Item code: Gk1

- Cylindrical base
- With tubular stopcock
- Interchangeable fittings
- Rubber centre collar
- 500ml or 1000ml

Knife - Palette

Item code: Gk2

- Stainless steel
- Parallel sided blade
- Wooden handle
- 100mm/150mm/
200mm/250mm/300mm



Knife Switch - Single Pole

Item code: Gk3

- Low voltage
- Single pole double throw
- Moulded base
- Plated spring brass contacts and screw connectors
- 95 x 22 x 22mm

Knife Switch - Double Pole

Item code: Gk4

- Low voltage
- Double pole double throw
- Used as changeover switch with right connections
- Moulded base
- Plated spring brass contacts and screw connectors
- 88 x 38 x 22mm



General Laboratory & Glassware

Lamp



Item code: G11

- Screw thread
- Electric flash
- 1.5V, 0.3A / 2.5V, 0.3A / 3.8V, 0.3A / 4.9V, 0.3A

Lampholder

Item code: G12

- Takes flashlamp bulbs
- Rolled shell of plated brass
- Moulded plastic base
- 2 screw connections
- Fixing hole centres
- Base: 30mm ϕ
- Height: 22mm



Lead - Plain Wire

Item code: G13

- Red or black
- Sold per meter

Lighter - Gas

Item code: G14

- Spring steel holder
- Flint
- Striking plate
- Supplied with one flint



General Laboratory & Glassware

Micrometer



Item code: Gm1

- Screw gauge
- Made with hardened and ground screw
- Thimble with ratchet
- Lever lock to spindle
- Frame fitted with heat-insulating cover
- Satin chrome overball
- Range 0 - 25 x 0.01mm precision

Mortar & Pestle - Porcelain

Item code: Gm2

- Nickel-plated brass
- Glazed outside
- Unglazed inside
- Complete with pestle
- 80mm \varnothing /100mm \varnothing /130mm \varnothing



Mortar & Pestle - Glass

Item code: Gm3

- Glass
- Rough inside
- Pestle
- With sand blasted head
- 120mm \varnothing



Multimeter

Item code: Gm4

- Multirange
- Range selection by single control knob
- Black pointer
- Instructions
- Test leads
- Probes
- Battery
- 10A, 10A (5 ranges)
- 0.1V, 1kV (9 ranges)
- 10A (1 range)
- 10V, 1kV (5 ranges)
- x1, x100, 10k
- 20k/V

General Laboratory & Glassware

Overhead Projector



Item code: Go1

- A) Portable
- 3 Element
 - f280 - 340mm
 - Working area: 285 x 285mm
 - 2 lamps 24V 250W
 - 2000lm
 - Fan cooling system
- B) Portable
- 2 lamps 36V 400W
 - 2200lm
- C) Bench model
- Lamp 24V, 250W
 - 2000lm
 - Working area: 250 x 250mm

Paper - Filter

Item code: Gp1

- General purpose
- Medium filtering speed
- Thickness: ± 0.17 mm
- Pack size of 100
- 11cm/12.5cm/15cm



Pipeclay Triangle

Item code: Gp2

- On stout iron wire
- Pipeclay stems
- Each or packs of 10
- 50mm or 65mm

Pipette - Bulb

Item code: Gp3

- Glass
- One mark
- 1ml/5ml/10ml/25ml/50ml



General Laboratory & Glassware

Pipette - Graduated



Item code: Gp4

- Glass, graduated
- For delivery to jet
- Zero mark at top
- Subdivided
- 1ml/2ml/5ml/10ml/25ml

Plasticine

Item code: Gp5

- 500g packets
- Assorted colours



Plug - Banana

Item code: Gp6

- Red, black or yellow
- For 4mm socket

Pneumatic Trough

Item code: Gp7

- Glass
- Circular
- Approximate sizes:
150 x 100mm/250 x 125mm/300 x 125mm



General Laboratory & Glassware

Pump - Filter: Waterjet




Item code: Gp8

- Nickel plated brass
- Vacuum readings up to 625mm
- Fitted with rifled nozzles for water and vacuum connections, or 1/2" tap connection

Pump - Vacuum

Item code: Gp9

- Hand operated
- Vacuum of 635mm Hg
- Removable cover on exhaust port
- Spring-loaded valve
- Gauge monitors vacuum in cm
- Mercury in inches
- Nozzle fits standard 1/4-in i.d. tubing
- Supplied with 2-ft length of clear plastic tubing
- Lightweight unit, sealed and self-lubricating



Rack - Test Tube

Item code: Gr1

- Durable plastic
- A) 6 x 16mm holes with pegs
- B) 6 x 26mm holes with pegs
- C) 12 x 26mm holes with pegs

Ring

Item code: Gr2

- Mild steel
- 6mm thick
- 50mm ϕ x 140mm stem length/
75mm ϕ x 125mm stem length/100mm ϕ x 115mm stem length



General Laboratory & Glassware

Rubber Stopper



Item code: Gr3

- A) Solid
- B) 1 hole
- C) 2 holes
- Natural
- Available in the following approximate sizes:
 - 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 15,
 - 17, 19, 21, 23, 25, 27, 29, 31, 33,
 - 35, 37, 39, 41, 43, 45, 49, 53

Ruler - Measuring

Item code: Gr4

- Hardwood or plastic
- Graduated in centimetres and millimetres
- One metre long or half meter long



Spatula - Chattaway

Item code: Gs1

- One end flat
- One end bent up
- Polished stainless steel
- 150mm or 200mm



Spatula - Spoon Type

Item code: Gs2

- One end flat
- One end spoon form
- Polished stainless steel
- 150mm/200mm/
114mm (micro)



General Laboratory & Glassware

Sphere



Item code: Gs3

- Polystyrene
- Lightweight
- 25mm \varnothing /38mm \varnothing /45mm \varnothing /50mm \varnothing

Stand - Burette: Hardwood

Item code: Gs4

- Hardwood
- Base fitted with rod
- Clamping jaw fitted with tightening screw



Stand - Burette: Porcelain Base

Item code: Gs5

- Porcelain base
- Aluminium centre rod
- To take double burette clamp



Stand - Funnel

Item code: Gs6

- Hardwood (single or double)
- Interchangeable components
- Slotted funnel holders fitted with screw



General Laboratory & Glassware

Stand - Pipette: Hardwood



Item code: Gs7

- Hardwood
- Holds 12 pipettes horizontally
- 6 on either side

Stand - Pipette: Polypropylene

Item code: Gs8

- Polypropylene
- Round and base
- PVC rod
- 18 small holes
- 10 large holes



Stand - Retort

Item code: Gs9

- Enamelled steel base
- Chrome plated/steel rod: $\pm 600\text{mm}$
- Base: 200 x 130mm

Still - Water

Item code: Gs10

- Borosilicate glass boiler
- Fitted with a 3kw chromium plated heater
- On metal stand
- Thermostatic cut-out
- Output: 4 ltr/hour
- Distillate pyrogen-free
- Conductivity: 2.0 $\mu\text{s/cm}$
- Electrical supply: 220 - 240V, 50/60hz



General Laboratory & Glassware

Stopper - Cork



Item code: Gs11

- Good quality laboratory grade corks
- 8mm bottom ϕ /12mm bottom ϕ / 14mm bottom ϕ

Stopwatch

Item code: Gs12

- 6 digit display of hour, minute, second, month, date, weekday
- 1/100th second with split operation
- Automatic month update for four year operation
- Low power dissipation
- Also available: Economy model (B)



Syringe

Item code: Gs13

- Plastic
- Disposable
- For gasses or liquids
- Individually packed in sealed envelopes
- Without needle
- 5ml/10ml/20ml/50ml



Thermometer - Alcohol Filled: Red Spirit

Item code: Gt1

- Length: 300mm x 6mm ϕ
- 76mm immersion
- White enamelled back with scale printed on
- 10° - 110°C
- 10°/20° - 110°C



General Laboratory & Glassware

Thermometer - Clinical




Item code: Gt2

- Length: $\pm 110\text{mm}$
- $35^{\circ} - 43^{\circ}\text{C}$ in 0.1°C intervals

Thermometer - Mercury Filled

Item code: Gt3

- Length: $300 \times 6\text{mm } \phi$
- 76mm immersion
- White enamelled back
- Mercury in glass
- $\pm 10^{\circ} - 110^{\circ}\text{C}$
- $-10^{\circ}/20^{\circ} - 110^{\circ}\text{C}$



Thermometer - Wall

Item code: Gt4

- General purpose
- Plastic frames
- Indoor or outdoor use
- Length: 225mm
- $-50^{\circ} - 50^{\circ}\text{C}$

Tile - Spotting


Item code: Gt5

- Porcelain
- White
- $22\text{mm } \phi$ cavity
- $118 \times 93 \times 11\text{mm}$
- 6 cavities or 12 cavities



General Laboratory & Glassware

Tong - Crucible




Item code: Gt6

- Galvanized or chrome steel
- Flattened hinge
- Also available in stainless steel
- A) Straight: 200mm
- B) Bow: 200mm

Tripod

Item code: Gt7

- High grade metal
- Circular or triangular top
- Cast iron
- Sprayed steel legs
- Matte black finish
- 65mm x 100mm with rings/
65mm x 100mm/125mm x 200mm



Trolley - Laboratory

Item code: Gt8

- Sturdily built
- Two or three fixed shelves
- Large castors
- Height: 1000mm
- Width: 460mm
- Length: 810mm

Tube - Display

Item code: Gt9

- Glass
- Open both ends
- 450 x 24/25mm



General Laboratory & Glassware

Tube - Test



Item code: Gt10

- Light wall
- With rim
- Neutral/borosilicate glass
- Sizes: 16 x 125mm, 16 x 150mm, 19 x 150mm, 24 x 150mm, 30 x 200mm, 37 x 200mm

Tube - U

Item code: Gt11

- Glass, absorption tube
- U-form, with or without side arms
- Strong walls
- $\pm 150 \times 17\text{mm}$



Tubing - Plastic

Item code: Gt12

- Non toxic
- PVC
- Very elastic and flexible
- Can be sterilized up to 125°C
- Sizes:

Internal	Wall thickness
3.0mm	0.75mm
5.0mm	1.50mm
6.5mm	1.50mm
8.0mm	2.00mm
10.0mm	2.00mm
12.5mm	2.25mm

General Laboratory & Glassware

Tubing - Pressure




Item code: Gt13

- Heavy wall
- Red rubber
- For pressure and vacuum work
- Sizes:
 - 4mm bore x 4.8mm wall
 - 5mm bore x 3.8mm wall
 - 6.3mm bore x 4.3mm wall
 - 10mm bore x 6.2mm wall

Tubing - Rubber

Item code: Gt14

- Red rubber
- Drainage
- Suitable for burners and other lab uses
- Sizes:
 - 5mm bore x 1.5mm wall
 - 6.5mm bore x 1.5mm wall
 - 10mm bore x 2mm wall



Voltameter

Item code: Gv1

- Hoffmans
- 2 limbs
- Graduated glass 50ml
- Accessories
- Carbon electrodes
- Platinum electrodes

Watch Glass

Item code: Gw1

- Soda glass
- Round bottom
- Sizes: 60mm/70mm/
80mm/100mm



General Laboratory & Glassware

Water Bath



Item code: Gw2

- Made from 18/8 stainless steel
- A) Round Type
 - Electric, gas or steam heated
 - Elements fitted with strong metal collar
 - Concentric rings
 - Bakelite feet
 - 178mm ϕ
 - 127mm depth
- B) Square Type
 - Stainless steel inside chamber
 - Mild steel sheet outside chamber
 - From room temperature to 100°C
 - Accuracy of $\pm 0.5^\circ\text{C}$
 - Size: 355 x 250 x $\pm 127\text{mm}$

Wire - Electric: Constanan

Item code: Gw3

- Bare copper-nickel alloy
- 125gm mass/reel
- 0.40mm ϕ /0.56mm ϕ /0.9mm ϕ



Wire - Electric: Flexible

Item code: Gw4

- Single
- Multistrand copper
- PVC insulated
- To carry 5A
- Supplied in multiples of 10m
- Red and black



Wire - Electric: Nichrome

Item code: Gw5

- Bare nickel-chromium-iron alloy
- 0.31mm ϕ /0.56mm ϕ /0.60mm ϕ /0.80mm ϕ /1.25mm ϕ

